



COCKSFOOT (*DACTYLIS GLOMERATA*)

DRAGONER





Maturity group: medium (5)

Listing: since 2010

Advantages of DRAGONER

- › Lowest susceptibility to rust in German cocksfoot assortment
- › Balanced yield performance with pronounced regrowth
- › Improved fodder value with high palatability and digestibility due to finer leaves

Variety assessment of DRAGONER

Mass growth at the beginning		medium to strong
Tendency to winter kill		low to medium
Tendency to lodging		low to medium
Susceptibility to rust		very low to low
Susceptibility to leaf spots	- no assessment -	
Sward density		medium
Dry matter yield, total		medium
Dry matter yield, 1st cut		medium to high
Dry matter yield, further cuts		medium

(1 = very low, very early / 9 = very strong, very high, very late)

Source: according to the specifying variety list 2022 issued by the Bundessortenamt

Variety descriptions above are provided to the best of our knowledge. Despite all efforts, SAATZUCHT STEINACH GmbH & Co KG cannot guarantee repeatability of described assessments in any case. The presented results should provide an appropriate knowledge base for decision support and may not be an indicator of results you may obtain in your individual location, as local growing conditions, including soil type and weather may vary. SAATZUCHT STEINACH GmbH & Co KG excludes all liability for damages which may arise from use of this variety description.

SAATZUCHT STEINACH GmbH & Co KG

Wittelsbacherstraße 15 · 94377 Steinach · GERMANY

Telefon +49 (0) 9428 94190 · Telefax +49 (0) 9428 941930 · info@saatzucht.de · www.saatzucht.de